

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	443	(model\$3 near3 element) and (html and xml and xhtml and sgml or ml or mark-up or (mark adj up)) and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:47
L2	190	(model\$3 near3 element) and (html and xml and xhtml and sgml or ml or mark-up or (mark adj up)) and class near3 (comprising or consisting or rules or constraints or definitions or defin\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 09:44
L3	192	(model\$3 near3 element) and (html and xml and xhtml and sgml or ml or mark-up or (mark adj up)) and class near3 (framework or pattern\$3 comprising or consisting or rules or constraints or definitions or defin\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 09:22
L4	79	(model\$3 near3 element) and (html and xml and xhtml and sgml or ml or mark-up or (mark adj up)) and class near3 (framework or pattern\$3 comprising or consisting or rules or constraints or definitions or defin\$3) and container	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 09:22
L5	62	(model\$3 near3 element) and (html and xml and xhtml and sgml or ml or mark-up or (mark adj up)) and class near3 (framework or pattern\$3 comprising or consisting or rules or constraints or definitions or defin\$3) and container and (inlin\$3 or in-lin\$3 or embed\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 09:22
L6	60	(model\$3 near3 element) and (html and xml and xhtml and sgml or ml or mark-up or (mark adj up)) and class near3 (framework or pattern\$3 comprising or consisting or rules or constraints or definitions or defin\$3) and container and (inlin\$3 or in-lin\$3 or embed\$4) and (deriv\$3 or nest\$3 or extend\$3 or extension or parent or child or hierarch\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 09:27

L7	60	(model\$3 near3 element) and (html and xml and xhtml and sgml or ml or mark-up or (mark adj up)) and class near3 (framework or pattern\$3 comprising or consisting or rules or constraints or definitions or defin\$3 or restrain\$3 or prohibit\$3) and container and (inlin\$3 or in-lin\$3 or embed\$4) and (deriv\$3 or nest\$3 or extend\$3 or extension or parent or child or hierarch\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 09:27
L8	18	document same (model\$3 near3 element) and (html and xml and xhtml and sgml or ml or mark-up or (mark adj up)) and class near3 (comprising or consisting or rules or constraints or definitions or defin\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:47
L9	0	document same (model\$3 near3 element) same (html and xml and xhtml and sgml or ml or mark-up or (mark adj up)) and class near3 (specific\$4 or comprising or consisting or rules or constraints or definitions or defin\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 09:45
L10	963	715/500.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:47
L11	5	715/500.ccls. and (model\$3 near3 element) and (html and xml and xhtml and sgml or ml or mark-up or (mark adj up)) and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:48
L12	4	717/100.ccls. and (model\$3 near3 element) and (html and xml and xhtml and sgml or ml or mark-up or (mark adj up)) and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:49
L13	0	717/106.ccls. and (model\$3 near3 element) and (html and xml and xhtml and sgml or ml or mark-up or (mark adj up)) and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:49
L14	0	717/107.ccls. and (model\$3 near3 element) and (html and xml and xhtml and sgml or ml or mark-up or (mark adj up)) and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:49

L15	184	717/107.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:49
L16	300	717/106.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:49
L17	405	717/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:49
S1	2	(BASE ADJ CLASS) AND (PARENT-CHILD OR HIERARCH\$4 OR CHILD OR INHERIT\$4) AND (INLINE ADJ CLASS) AND (CONTAINER ADJ CLASS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 13:50
S2	1886	(BASE ADJ CLASS) AND (PARENT-CHILD OR HIERARCH\$4 OR CHILD OR INHERIT\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 17:03
S3	99	(BASE ADJ CLASS) AND (PARENT-CHILD OR HIERARCH\$4 OR CHILD OR INHERIT\$4) AND CONTAINER AND (INLINE OR IN-LINE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 13:52
S4	524	(BASE ADJ CLASS) AND (PARENT-CHILD OR HIERARCH\$4 OR CHILD OR INHERIT\$4) AND (MARKUP OR MARK-UP OR XML OR HTML OR XHTML OR SGML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 13:53
S5	439	(BASE ADJ CLASS) AND (PARENT-CHILD OR HIERARCH\$4 OR CHILD OR INHERIT\$4) AND (MARKUP OR MARK-UP OR XML OR HTML OR XHTML OR SGML) AND TOOL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 13:53
S6	31	(BASE ADJ CLASS) AND (PARENT-CHILD OR HIERARCH\$4 OR CHILD OR INHERIT\$4) AND CONTAINER AND (INLINE OR IN-LINE) AND (STOR\$3 NEAR\$5 PARENT)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 13:54
S7	84	(BASE ADJ CLASS) AND (PARENT-CHILD OR HIERARCH\$4 OR CHILD OR INHERIT\$4) AND CONTAINER AND (INLINE OR IN-LINE) AND TOOL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 14:23

S8	8	("4658370" "4866635" "4916625" "4985857" "5043915" "5136523" "5379430" "5768480").PN.	USPAT	OR	OFF	2003/11/26 14:10
S9	139	717/104.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 14:23
S10	98	717/104.CCLS. AND CLASS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 14:59
S11	84	html and xml and xhtml and sgml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 16:48
S12	4635	extension same class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:00
S13	85	(inlin\$3 or in-lin\$3 or (in adj lin\$3)) near3 class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:01
S14	10	(extension same class) and ((inlin\$3 or in-lin\$3 or (in adj lin\$3)) near3 class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:07
S15	2	(html and xml and xhtml and sgml) and ((inlin\$3 or in-lin\$3 or (in adj lin\$3)) near3 class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:08
S16	5	(html and xml and xhtml and sgml) and (extension same class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:08
S17	22	child near5 (stor\$3 near3 ((in or within) near5 parent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:13

S18	1	comment and format\$3 and embed\$3 and imag\$3 and anchor\$3 and (paragraph adj marker) and (line adj break) and (horizontal adj rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:14
S19	1	imag\$3 and anchor\$3 and (paragraph adj marker) and (line adj break) and (horizontal adj rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:15
S20	9	imag\$3 and anchor\$3 and (line adj break) and (horizontal adj rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:19
S21	3308	(html or ml or (mark adj up) or markup) near5 elements	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:19
S22	447	(html or ml or (mark adj up) or markup) near5 elements same format\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:20
S23	0	(html or ml or (mark adj up) or markup) near5 elements same format\$4 same (line adj break) same (horizontal adj rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:20
S24	4	(html or ml or (mark adj up) or markup) near5 elements same format\$4 and (horizontal adj rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:24
S25	546	(html or ml or (mark adj up) or markup) near5 format\$4 near3 tag\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 16:10
S26	210	(html or ml or (mark adj up) or markup) near5 format\$4 near3 tag\$4 and extension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:26
S27	33	(html or ml or (mark adj up) or markup) near5 format\$4 near3 tag\$4 and extension and container	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:48

S28	26387	extension near3 extension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:48
S29	0	extension adj (to adj extension)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:48
S30	0	extension adj (to near3 extension)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:49
S31	2	"6438575".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 15:52
S32	2	"5940834".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 16:07
S33	118	program near3 development same ((class or classes) near5 (set or collection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 16:08
S34	118	(program near3 development) same ((class or classes) near5 (set or collection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 16:15
S35	587	(html or ml or (mark adj up) or markup) near5 (format\$4 near3 (tag\$4 or element or token or identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 16:11
S36	1	((program near3 development) same ((class or classes) near5 (set or collection))) and ((html or ml or (mark adj up) or markup) near5 (format\$4 near3 (tag\$4 or element or token or identifier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 16:11
S37	42	(program near3 development) same ((class or classes) near5 (set or collection)) and extension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 16:19

S38	188	(john and c and adams).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 16:20
S39	6	(john and c and adams).in. and (class or classes) and markup	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/26 16:21
S40	1250	(creat\$3 or build\$3) near5 ((xml or html or sgml or xhtml or ml or markup or mark-up) near5 (document or page or code or software or application)) and (class or classes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 14:36
S41	102	(creat\$3 or build\$3) near5 ((xml or html or sgml or xhtml or ml or markup or mark-up) near5 (document or page or code or software or application)) same (class or classes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 14:10
S42	107	(creat\$3 or build\$3 or produc\$4) near5 ((xml or html or sgml or xhtml or ml or markup or mark-up) near3 (document or page or code or software or application)) same (class or classes) and (format\$4 or tag or element)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 14:11
S43	22	(creat\$3 or build\$3 or produc\$4) near5 ((xml or html or sgml or xhtml or ml or markup or mark-up) near3 (document or page or code or software or application)) same (class or classes) and (format\$4 or tag or element) and (class near5 (derived or subclassed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 14:12
S44	28	(creat\$3 or build\$3 or produc\$4) near5 ((xml or html or sgml or xhtml or ml or markup or mark-up) near3 (document or page or code or software or application)) same (class or classes) and (format\$4 or tag or element) and (class near5 (derived or subclassed or child))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 14:12

S45	52	(software adj development adj tool) and (creat\$3 or build\$3) near5 ((xml or html or sgml or xhtml or ml or markup or mark-up) near5 (document or page or code or software or application)) and (class or classes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 14:37
S46	119	(software adj development adj tool) and ((xml or html or sgml or xhtml or ml or markup or mark-up) near5 (document or page or code or software or application)) and (class or classes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 14:37
S47	49	((software adj development adj tool) and (creat\$3 or build\$3) near5 ((xml or html or sgml or xhtml or ml or markup or mark-up) near5 (document or page or code or software or application)) and (class or classes)) not ((creat\$3 or build\$3 or produc\$4) near5 ((xml or html or sgml or xhtml or ml or markup or mark-up) near3 (document or page or code or software or application)) same (class or classes) and (format\$4 or tag or element) and (class near5 (derived or subclassed or child)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 08:27
S48	2	"20020019815"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 08:27
S49	0	"20020019815" and (html or ml or markup or mark-up or (mark adj up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 08:28
S50	2	"20020042831" and (html or ml or markup or mark-up or (mark adj up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 08:29
S51	2	"20020042831" and (html or ml or markup or mark-up or (mark adj up) or xml or xhtml or sgml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 08:49

S52	85	(html and xml and xhtml and sgml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 08:52
S53	25	format\$4 and embed\$4 and image and anchor and paragraph and (line adj break) and (horizontal adj (rule or line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 08:51
S54	1	((html and xml and xhtml and sgml)) and (format\$4 and embed\$4 and image and anchor and paragraph and (line adj break) and (horizontal adj (rule or line)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 08:50
S55	28	image and anchor and paragraph and (line adj break) and (horizontal adj (rule or line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 08:59
S56	1	((html and xml and xhtml and sgml)) and (image and anchor and paragraph and (line adj break) and (horizontal adj (rule or line)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 08:51
S57	1	(html and xml and xhtml and sgml) and (line adj break) and (horizontal) and anchor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 08:52
S58	79	(html and xml and xhtml and sgml) and format\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 09:16
S59	13	image and anchor and paragraph and (line adj break) and (horizontal adj (rule or line)) and (html or ml or xml or sgml or xhtml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 09:05
S60	6834	bold\$3 and center\$3 and table and (selection or list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 09:05
S61	3	((html and xml and xhtml and sgml) and format\$4) and (bold\$3 and center\$3 and table and (selection or list))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 09:06

S62	7	(image and anchor and paragraph and (line adj break) and (horizontal adj (rule or line)) and (html or ml or xml or sgml or xhtml)) and (bold\$3 and center\$3 and table and (selection or list))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 09:06
S63	51	(html and xml and xhtml and sgml) and format\$4 and tags	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 11:08
S64	1184	style adj sheets	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 11:09
S65	4	(bold\$3 and center\$3 and table and (selection or list)) and (style adj sheets) and (image and anchor and paragraph and (line adj break) and (horizontal adj (rule or line)) and (html or ml or xml or sgml or xhtml))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 11:09
S66	63	(bold\$3 and center\$3 and table and (selection or list)) and (style adj sheets)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 11:28
S67	1	"6598035".pn. and (library or dll)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 12:29
S68	17	("5708825" "5860073" "5953526" "646833" "6584480" "6598035" "6651240" "6654754").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 12:33
S69	4	("6476833").pn. or "20020042831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 12:48
S70	236	717/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 12:51

S71	175	717/106.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 12:51
S72	128	717/107.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 12:51
S73	229	717/108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 12:51
S74	0	2002/0042831	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 08:41
S75	2	"20020042831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 08:42
S76	2	"6625803".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 16:55
S77	2794	stor\$3 near3 child	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 16:56
S78	355	(stor\$3 near3 child) near3 parent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 16:57
S79	57	(stor\$3 adj child) near3 parent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 16:57
S80	2143	(BASE ADJ CLASS) AND (PARENT-CHILD OR HIERARCH\$4 OR CHILD OR INHERIT\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 17:04

S81	19	((stor\$3 near3 child) near3 parent) and ((BASE ADJ CLASS) AND (PARENT-CHILD OR HIERARCH\$4 OR CHILD OR INHERIT\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 16:45
S82	17	((child adj object) near3 stor\$3) near3 parent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 17:18
S83	3	((child adj object) near3 stor\$3) near3 ((in or within or inside) adj parent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 17:24
S84	1	"6598035".pn. and (memory or stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 16:29
S85	1	"6035119".pn. and (memory or stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 16:29
S86	1	"6035119".pn. and (browser)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 16:30
S87	6	((stor\$3 near3 child) near3 parent) and ((BASE ADJ CLASS) AND (PARENT-CHILD OR HIERARCH\$4 OR CHILD OR INHERIT\$4)) and buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 16:45
S88	1	html and xml and xhtml and sgml and (stor\$3 near5 (temporary or temp or buffer)) and (stor\$3 near3 container)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 16:50
S89	114	(html or xml or xhtml or sgml or markup or mark-up or (mark adj up)) and (stor\$3 near5 (temporary or temp or buffer)) and (stor\$3 near3 container)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 16:51
S90	108	(html or xml or xhtml or sgml or markup or mark-up or (mark adj up)) and (stor\$3 near3 (temporary or temp or buffer)) and (stor\$3 near3 container)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 16:55

S91	4029	(html or xml or xhtml or sgml or markup or mark-up or (mark adj up)) and (stor\$3 near3 (temporary or temp or buffer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 16:57
S92	322	(html or xml or xhtml or sgml or markup or mark-up or (mark adj up)) and (stor\$3 near3 (temporary or temp)) and (stor\$3 near3 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 17:25
S93	203	html and container and ((temp or temporary) adj stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 17:28
S94	21	html and container same ((temp or temporary) adj stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 17:30
S95	39	html and stor\$3 near3 (child near3 (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 17:32
S96	1	html and ((temp or temporary) near3 stor\$3) near3 (child near3 (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 17:33
S97	81	container adj class same stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 07:12
S98	1	"6208994".URPN.	USPAT	OR	OFF	2004/05/26 17:45
S99	8	("5805796" "6208994" "6272537" "6301582" "6356913" "6370508" "6560609" "6567818" "2002/0129345").PN.	USPAT	OR	OFF	2004/05/26 17:46
S100	2	((markup or mark-up or (mark adj up) or html or xml) near3 class) near5 stor\$3 and container	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 07:17
S101	692	((markup or mark-up or (mark adj up) or html or xml)) near5 stor\$3 and container	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 07:17

S10 2	158	((markup or mark-up or (mark adj up) or html or xml)) near5 stor\$3 and container same class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 07:18
S10 3	4	((markup or mark-up or (mark adj up) or html or xml)) near5 stor\$3 same (container and class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 07:42
S10 4	0	((markup or mark-up or (mark adj up) or html or xml) or sgml) near5 (stor\$3 same (container and class))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 07:48
S10 5	4820	((markup or mark-up or (mark adj up) or html or xml) or sgml) and (stor\$3 same (container or class))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 07:49
S10 6	909	((markup or mark-up or (mark adj up) or html or xml) or sgml)same (stor\$3 same (container or class))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 07:50
S10 7	216	((markup or mark-up or (mark adj up) or html or xml) or sgml)same (stor\$3 near5 (container or class))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 07:50
S10 8	56	((markup or mark-up or (mark adj up) or html or xml) or sgml)same (stor\$3 near3 (container or class)) and (container and class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 13:44
S10 9	37	"5987480".URPN.	USPAT	OR	OFF	2004/05/27 07:53
S11 0	11	("4750135" "5267155" "5339392" "5408655" "5444836" "5576951" "5649186" "5684951" "5694546" "5706434" "5708780").PN.	USPAT	OR	OFF	2004/05/27 08:04
S11 1	37	"5987480".URPN.	USPAT	OR	OFF	2004/05/27 08:05
S11 2	1	"6035119".pn. and (memory or stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 13:52

S11 3	183681	"6035119".pn. and link\$3 or compil\$5 or library or dll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 13:53
S11 4	1	"6598035".pn. and (link\$3 or compil\$5 or library or dll)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 13:53
S11 5	1	"6035119".pn. and (link\$3 or compil\$5 or library or dll)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 13:53
S11 6	849	(markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:18
S11 7	74	(markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and (inline or in-line or (in adj line)) and container	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:19
S11 8	67	(generat\$3 or produc\$3 or creat\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and (inline or in-line or (in adj line)) and container	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:20
S11 9	68	(generat\$3 or produc\$3 or creat\$3 or develop\$4) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and (inline or in-line or (in adj line)) and container	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:20
S12 0	68	(generat\$3 or produc\$3 or creat\$3 or develop\$4) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and (inline or in-line or (in adj line)) and container and (nest\$3 or hierarch\$4 or parent or child)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:21

S12 1	56	(generat\$3 or produc\$3 or creat\$3 or develop\$4) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and (inline or in-line or (in adj line)) and container and (nest\$3 or hierarch\$4 or parent or child) and class near3 (template or framework or rules or condition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:21
S12 2	56	(generat\$3 or produc\$3 or creat\$3 or develop\$4) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and (inline or in-line or (in adj line)) and container and (nest\$3 or hierarch\$4 or parent or child) and class near3 (template or framework or rules or condition or polic\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:22
S12 3	57	(generat\$3 or produc\$3 or creat\$3 or develop\$4) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and (inline or in-line or (in adj line)) and container and (nest\$3 or hierarch\$4 or parent or child) and (class or element) near3 (template or framework or rules or condition or polic\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:32
S12 4	43	(output\$4 or build\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and (inline or in-line or (in adj line)) and container and (nest\$3 or hierarch\$4 or parent or child) and (class or element) near3 (template or framework or rules or condition or polic\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:36
S12 5	0	S124 not S123	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:32
S12 6	93287	(output\$4 or build\$3 or generat\$3 or produc\$3 or creat\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:37

S12 7	630	(output\$4 or build\$3 or generat\$3 or produc\$3 or creat\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:37
S12 8	249	(output\$4 or build\$3 or generat\$3 or produc\$3 or creat\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and container	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:37
S12 9	249	(output\$4 or build\$3 or generat\$3 or produc\$3 or creat\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and container and (nest\$3 or hierarch\$4 or parent or child or extend\$3 or extension)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:40
S13 0	182	S129 not S119	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:38
S13 1	68	(output\$4 or build\$3 or generat\$3 or produc\$3 or creat\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and container and (nest\$3 or hierarch\$4 or parent or child or extend\$3 or extension) and (in-lin\$3 or inlin\$3 or (in adj lin\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:42
S13 2	238	(output\$4 or build\$3 or generat\$3 or produc\$3 or creat\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and container and (nest\$3 or hierarch\$4 or parent or child or extend\$3 or extension) and (in-lin\$3 or inlin\$3 or (in adj lin\$3) or embed\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:42

S13 3	171	(output\$4 or build\$3 or generat\$3 or produc\$3 or creat\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and container and (nest\$3 or hierarch\$4 or parent or child or extend\$3 or extension) and (in-lin\$3 or inlin\$3 or (in adj lin\$3) or embed\$4) not S119	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:51
S13 4	13	(output\$4 or build\$3 or generat\$3 or produc\$3 or creat\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and (class near3 extension) and container and (nest\$3 or hierarch\$4 or parent or child or extend\$3 or extension) and 717/10?.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:18
S13 5	8	("5826017" "6347340" "5680552" "5659555").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:07
S13 6	712	(output\$4 or build\$3 or generat\$3 or produc\$3 or creat\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) and ((define or definition or format\$4 or template) near5 class) and container and (nest\$3 or hierarch\$4 or parent or child or extend\$3 or extension)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:20
S13 7	76	(output\$4 or build\$3 or generat\$3 or produc\$3 or creat\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) same ((define or definition or format\$4 or template) near5 class) and container and (nest\$3 or hierarch\$4 or parent or child or extend\$3 or extension)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:21
S13 8	67	(output\$4 or build\$3 or generat\$3 or produc\$3 or creat\$3) near5 (markup or mark-up or (mark adj up) or xml or ml or sgml or html or xhtml) same ((define or definition or format\$4 or template) near5 class) and container and (nest\$3 or hierarch\$4 or parent or child or extend\$3 or extension) and (class near5 attribute or (properties or property))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:16

S13 9	960	715/500.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:16
S14 0	57	715/500.ccls. and (define or definition) near5 class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:19
S14 1	47	715/500.ccls. and (define or definition) near5 class and (extending or extension or hierarchy or parent or child or nest\$3 or embed\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:21
S14 2	47	715/500.ccls. and (define or definition) near5 class and (extending or extension or hierarchy or parent or child or nest\$3 or embed\$4 or heirarchical\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:24
S14 3	29	715/500.ccls. and (define or definition) near5 class and (extending or extension or hierarchy or parent or child or nest\$3 or embed\$4 or heirarchical\$2) and (ml or xml or html or sgml or xhtml or markup or mark-up or (mark adj up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:33
S14 4	141	715/513.ccls. and (define or definition) near5 class and (extending or extension or hierarchy or parent or child or nest\$3 or embed\$4 or heirarchical\$2) and (ml or xml or html or sgml or xhtml or markup or mark-up or (mark adj up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:42
S14 5	18	715/514.ccls. and (define or definition) near5 class and (extending or extension or hierarchy or parent or child or nest\$3 or embed\$4 or heirarchical\$2) and (ml or xml or html or sgml or xhtml or markup or mark-up or (mark adj up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:36
S14 6	5	715/515.ccls. and (define or definition) near5 class and (extending or extension or hierarchy or parent or child or nest\$3 or embed\$4 or heirarchical\$2) and (ml or xml or html or sgml or xhtml or markup or mark-up or (mark adj up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:34

S14 7	63	715/513.ccls. and (define or definition) near5 class same (attribute or property or properties) and (extending or extension or hierarchy or parent or child or nest\$3 or embed\$4 or heirarchical\$2) and (ml or xml or html or sgml or xhtml or markup or mark-up or (mark adj up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:55
S14 8	17	715/513.ccls. and (define or definition) near5 class same (attribute or property or properties) and (base near3 class) and (deriv\$3 or extending or extension or hierarchy or parent or child or nest\$3 or embed\$4 or heirarchical\$2) and (ml or xml or html or sgml or xhtml or markup or mark-up or (mark adj up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:11
S14 9	4	715/513.ccls. and (define or definition) near5 class same (attribute or property or properties) and (base near3 class) and (deriv\$3 or extending or extension or hierarchy or parent or child or nest\$3 or embed\$4 or heirarchical\$2) and (ml or xml or html or sgml or xhtml or markup or mark-up or (mark adj up)) and (class near5 (prohibit\$3 or conditions or permit\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:12
S15 0	0	715/5.ccls. and (define or definition) near5 class same (attribute or property or properties) and (base near3 class) and (deriv\$3 or extending or extension or hierarchy or parent or child or nest\$3 or embed\$4 or heirarchical\$2) and (ml or xml or html or sgml or xhtml or markup or mark-up or (mark adj up)) and (class near5 (prohibit\$3 or conditions or permit\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:12

S15 1	7	715/5???.ccls. and (define or definition) near5 class same (attribute or property or properties) and (base near3 class) and (deriv\$3 or extending or extension or hierarchy or parent or child or nest\$3 or embed\$4 or heirarchical\$2) and (ml or xml or html or sgml or xhtml or markup or mark-up or (mark adj up)) and (class near5 (prohibit\$3 or conditions or permit\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:13
----------	---	---	---	----	----	------------------